

SCOTTSDALE



**GREEN BUILDING
PROGRAM**

One- and Two-Family Residential Green Building Checklist

New Construction, Major Remodels & Additions

Version 6.0 (July 2023)

Plan Check # _____ Building Permit # _____ **GB Rating Level** _____

Project or Owner's Name: _____

Project Address: _____

Architect/Designer Name: _____

Builder Name: _____

Use this rating worksheet to qualify projects under the Green Building Program for one- and two-family dwellings and multiple single-family dwellings (townhouses) not more than three stories above grade plane in height with a separate means of egress (International Residential Code - IRC Section R101.2).

All building system components, materials, and equipment must be installed per code and manufacturer's instructions.

Tier 1 - GB Designation	Tier 2 - GB Designation
<ul style="list-style-type: none"> Meet all <u>10 mandatory measures</u> (p. 2 – 6). 	<ul style="list-style-type: none"> Meet all <u>10 mandatory measures</u> (p. 2 – 6). Accumulate at least <u>20 points</u> from the rated options in the checklist (p. 4 - 12).

Tier 2 - Rating Categories and Maximum Available Points					
1. Site	20 pts	6. Lighting and Power	14 pts	11. Doors, Cabinetry, Trim	11 pts
2. Structural Elements	29 pts	7. Plumbing System	16 pts	12. Flooring	15 pts
3. Energy Rating/Renewables	40 pts	8. Roofing	12 pts	13. Solid Waste	11 pts
4. Thermal Envelope	7 pts	9. Exterior Finishes	9 pts	14. House Size	+/- varies
5. HVAC	19 pts	10. Interior Finishes	4 pts	15. Innovative Design	8 pts

TIER 1 – MANDATORY MEASURES	LEVEL		VERIFICATION		
SITE	Tier 1	Tier 2	Plan Review	City Insp.	3 rd Party
<p>M1. a) All <u>exterior entrances</u> to conditioned space shall be protected from direct summer sun exposures (east, west, south) with recessed or covered elements.</p> <p>b) At least 50% of <u>site hardscape</u> (e.g. walkways, patios, playgrounds, recreation courts, driveways, parking areas) shall be provided with <u>one or more</u> of following:</p> <ol style="list-style-type: none"> 1) <u>Light colored surface</u> with a minimum solar reflectance index (SRI) of 29. 2) <u>Permeable paving system</u> with an open-graded engineered base to accommodate drainage and migration of water (e.g., - permeable and open-cell pavers, pervious concrete, porous asphalt). 3) Stabilized decomposed granite (open-graded uniform-sized aggregate). <p>c) At least 80% of <u>improved landscape</u> shall be Xeriscape with native and/or adapted plants and a non-sprinkler type irrigation system (e.g. – drip or no irrigation).</p> <p>d) At least 50% of <u>roof run-off</u> shall be diverted to landscape areas via roof edge, gutters, downspouts, scuppers, grading, swales and micro-basins.</p> <p>e) Where installed, <u>landscape irrigation systems</u> shall meet the following:</p> <ol style="list-style-type: none"> 1) Shall be divided into zones to regulate water needs based on plants, soil, exposure, and other factors (ground cover, shrubs, trees on separate valves). 2) Shall be provided with a moisture sensor or weather-based smart controller. 	<input type="checkbox"/>		Plan Review		Cert. of Compl.
THERMAL ENVELOPE	Tier 1		Verification		
<p>M2. Ceiling/roof insulation shall comply with one of the following:</p> <p>a) Provide <u>unventilated attic with spray applied insulation</u> (with adhesive binder) installed at underside of roof sheathing (batt is not acceptable for meeting the purposes of this requirement when installed at the underside of roof sheathing).</p> <p>b) Provide <u>ventilated attic with batt, blown-in or foam insulation</u> installed at bottom of attic space with a <u>radiant barrier</u> at underside of roof sheathing.</p>	<input type="checkbox"/>		Plan Review	City Insp.	Cert. of Compl.
HEATING, COOLING, VENTILATION	Tier 1		Verification		
<p>M3. HVAC system shall have at least <u>two space-conditioning zones with independent thermostatic controls</u>. <u>Exception</u>: One bedroom dwelling units.</p>	<input type="checkbox"/>		Plan Review		Cert. of Compl.
<p>M4. <u>Ducts and air handlers</u> shall be located completely within the continuous air barrier and building thermal envelope (excluding underground return ducts).</p> <p>a) <u>Duct seams and connections</u> shall be sealed with water-based mastic.</p> <p>b) <u>Return air filter grilles</u> shall be located and installed so as to facilitate access and regular service without special tools.</p>	<input type="checkbox"/>		Plan Review	City Insp. for duct	Cert. of Compl.

M5. Every enclosed habitable room with a door (excluding bathrooms, kitchens, closets, pantries, and laundry rooms) shall have a <u>return air path</u> through the use of return air inlets, transfer grills and/or jumper ducts. <u>Exception:</u> Where room to room pressure differences are measured to be 3.0 Pascals or less.	<input type="checkbox"/>		Plan Review	City Insp.	Cert. of Compl
M6. Install ceiling fans or electrical ceiling boxes for ceiling fans in at least half of habitable rooms (e.g. - living room, dining room, study, bedrooms).	<input type="checkbox"/>		Plan Review		Cert. of Compl
APPLIANCES	Tier 1		Verification		
M7. <u>Installed appliances</u> (refrigerator, freezer, dishwasher, clothes washer, clothes dryer) shall be Energy Star certified (www.energystar.gov/products).	<input type="checkbox"/>		Plan Review		Cert. of Compl
PLUMBING	Tier 1		Verification		
M8. <u>Water treatment systems.</u> a) Where installed, <u>water softeners</u> shall be equipped with <u>demand-initiated regeneration</u> control and have a max. regeneration of 4 gallons per 1000 grains of hardness removed in accordance with NSF/ANSI 44 (cation exchange water softeners). Such water softeners shall use <u>potassium rather than sodium</u> . b) Where installed, <u>reverse osmosis treatment systems</u> shall be listed and labeled in accordance with NSF/ANSI 58 and equipped with an automatic shut off valve that prevents the production of reject water when there is no demand. Such systems shall yield at least 85 gallons of treated water for each 100 gallons processed.	<input type="checkbox"/>		Plan Review		Cert. of Compl
SOLID WASTE	Tier 1		Verification		
M9. Provide at least <u>two 9-gallon pull-out bins for recycling /trash</u> in kitchen base cabinets.	<input type="checkbox"/>		Plan Review		Cert. of Compl
OPERATION AND MAINTENANCE	Tier 1		Verification		
M10. <u>A homeowner's manual shall be provided including the following:</u> a) Product literature, operation and maintenance manuals for materials, finishes, fixtures, appliances and equipment, including whole-house ventilation system. b) Listing and contact information of vendors and contractors. c) A diagram showing location of valves and controls for electrical panels, air filters, air intake, water shut-off valves, sewer diverter valves and clean-outs.	<input type="checkbox"/>		Plan Review		Cert. of Compl

TIER 2 – RATED OPTIONS	LEVEL		VERIFICATION			Pts
	Tier 1	Tier 2	Plan Review	City Insp.	3 rd Party	Select
1. Site (90% threshold unless otherwise noted)						
1.1 <u>Topsoil and/or natural desert granite</u> shall be isolated from the disturbed area and preserved in a separate location for re-use to minimize the importing of soil.		<input type="checkbox"/>			Cert. of Compl.	3
1.2 At least 90% of <u>existing on-site native plants</u> including trees shall remain in place or be salvaged.		<input type="checkbox"/>	Plan Review			2
1.3 At least 90% of <u>improved landscaping</u> shall be native and/or Xeriscape (no turfgrass).		<input type="checkbox"/>			Cert. of Compl.	2
1.4 A <u>rainwater collection and storage system</u> shall be sized and installed to supplement the irrigation system based on seasonal irrigation needs, roof collection area, and annual rainfall.		<input type="checkbox"/>			Cert. of Compl.	3
1.5 <u>Non-toxic termite control</u> shall be used in lieu of toxic treatments (e.g., borate treatment, physical barriers, pest-resistant building materials).		<input type="checkbox"/>			Cert. of Compl.	2
1.6 Building design shall incorporate a <u>semi-enclosed courtyard</u> (2 or more sides) with shading provided by trees and/or structures.		<input type="checkbox"/>	Plan Review			3
1.7 <u>Shaded outdoor living spaces</u> shall be provided with an area equal to at least 20% of the first and second floor livable floor area.		<input type="checkbox"/>	Plan Review			3
1.8 At least 90% of <u>outdoor structures and/or hardscape</u> (e.g., retaining walls, fences, landscape planter boxes, ramadas, gazebos, decking, pavers) shall be made from salvaged, reclaimed or recycled content (minimum 25% combined post-consumer & pre-consumer recovered) materials.		<input type="checkbox"/>	Plan Review			2
Sub-total of points selected:						
2. Structural Elements (90% threshold unless otherwise noted)		Tier 2	Verification			Select
2.1 Dwelling has at least one <u>shared common wall</u> within a two-family (duplex) or multiple single-family (townhouse) building as regulated under the International Residential Code (IRC). <u>Additional Points</u> for two shared common walls.		<input type="checkbox"/>	Plan Review			2 2
2.2 <u>Non-asphalt based dampproofing</u> shall be used for basement and/or retaining wall applications (e.g. - zero VOC/water based liquid acrylic, 1 ply membrane, bentonite clay, and cement-based waterproof coating).		<input type="checkbox"/>			Cert. of Compl.	2

<p>2.3 <u>Building structural components</u> shall be constructed of non-solid sawn lumber (metal, engineered lumber, recycled content materials, not including concrete slabs or pre-fabricated wood trusses).</p> <p><u>Point</u> for at least 75% of roof structure</p> <p><u>Point</u> for at least 75% of floor structure</p> <p><u>Point</u> for at least 75% of beams, headers and columns</p> <p><u>Point</u> for at least 75% of interior framing</p>		<input type="checkbox"/>	Plan Review			1 1 1 1
<p>2.4 <u>Lumber shall be certified</u> by the Forest Stewardship Council (FSC) or Sustainable Forest Initiative (SFI) as a sustainable source.</p> <p><u>Point</u> for at least 75% of floor structure</p> <p><u>Point</u> for at least 75% of beams, headers and columns</p> <p><u>Point</u> for at least 75% of interior framing</p>		<input type="checkbox"/>			Cert. of Compl.	1 1 1
<p>2.5 <u>No decorative non-structural wood beams</u>, non-load bearing columns or double exterior walls (where 2nd is non-load bearing) shall be used in the building project.</p>		<input type="checkbox"/>	Plan Review		Cert. of Compl.	1
<p>2.6 Interior <u>borate treated lumber</u> used for at least 50% of wood structure, not including trusses.</p>		<input type="checkbox"/>	Plan Review		Cert. of Compl.	1
<p>2.7 All <u>sub-floor, roof and wall sheathing</u> shall contain no added urea-formaldehyde resins.</p>		<input type="checkbox"/>			Cert. of Compl.	1
<p>2.8 An <u>integral wall system</u> shall be used that combines structural and thermal properties, and/or finish. Options include integral insulated masonry, structural insulated panels (SIP), insulated concrete forms (ICF), autoclaved aerated concrete (AAC), insulated sandwich panel (ISP), and solid foam panels. Natural materials such as cob, strawbale, adobe, pumice, thatch, rammed earth, and stone may also qualify.</p> <p><u>Additional Points</u> for regionally extracted or recovered, processed & manufactured within 500 miles</p> <p><u>Additional Point</u> for regionally extracted or recovered, processed & manufactured within 250 miles</p>		<input type="checkbox"/>	Plan Review		Cert. of Compl.	4 2 1
<p>2.9 <u>Structural elements</u> (beams, lintels, headers, columns, not including concrete slabs or pre-fabricated wood trusses) shall be sourced from regional manufacturers within 250 miles.</p> <p><u>1 pt. per category</u> (max. 2 pts.)</p>		<input type="checkbox"/>			Cert. of Compl.	_____

<p>2.10 Building design shall be based on <u>modular dimensions</u> and utilize one of the following systems:</p> <p>a) Advanced framing techniques (e.g., 2-stud corners, single top plates, stud spacing greater than 16" o.c., alignment of multistory load bearing modules)</p> <p>b) Panelized wall and roof systems</p>		<input type="checkbox"/>	Plan Review		Cert. of Compl.	2 2
Sub-total of points selected:						
3. Energy Rating and Renewables			Tier 2	Verification		Select
<p>3.1 Improved energy performance: 2 pts. credit for <u>each 5 point reduction below the HERS index of 52 or each 5% improvement over the 2021 IECC</u> (max. 10 pts.)</p>		<input type="checkbox"/>	Plan Review		Cert. of Compl.	_____
<p>3.2 <u>Utility supplied electric power</u> shall be available upon the completion of the floor slab and used during construction. <u>Additional Points</u> for use of solar power or other renewable energy source through the course of construction sufficient for power tools.</p>		<input type="checkbox"/>		City Insp.		1 3
<p>3.3 Provide an <u>on-site photovoltaic (PV) solar system</u>. <u>1 pt. for each 5% of the modeled annual electrical usage (kWh) produced by the PV system</u> (max. 10 pts.)</p>		<input type="checkbox"/>	Plan Review		Cert. of Compl.	_____
<p>3.4 <u>On-site renewable energy system</u> is sized to produce as much energy as the building consumes on an annual basis (zero-net energy).</p>		<input type="checkbox"/>	Plan Review			10
<p>3.5 Provide an on-site <u>energy storage system</u> sized to meet summer peak demand.</p>		<input type="checkbox"/>	Plan Review			6
Sub-total of points selected:						
4. Thermal Envelope			Tier 2	Verification		Select
<p>4.1 <u>Wall insulation</u>. Spray foam – 2 pts. Blown-in with adhesive binder – 1 pt.</p>		<input type="checkbox"/>	Plan Review	City Insp.		_____
<p>4.2 Building shall be insulated with <u>HCFC-free</u> rigid or spray foam insulation.</p>		<input type="checkbox"/>	Plan Review		Cert. of Compl.	1

4.3 Insulation shall have a minimum of <u>25% recycled content</u> (e.g., cellulose, cotton) or is made with 95% bio-based or natural materials (e.g. - straw, cotton).	<input type="checkbox"/>	Plan Review		Cert. of Compl.	1
4.4 Building shall be insulated with <u>formaldehyde-free insulation</u> (manufactured without added formaldehyde).	<input type="checkbox"/>			Cert. of Compl.	1
4.5 Where not restricted by planning and zoning regulations, <u>steep-slope roofs</u> (greater than a 2 in 12 pitch) that are directly above cooled conditioned spaces, shall have a minimum initial <u>Solar Reflectance Index (SRI) of 29</u> .	<input type="checkbox"/>	Plan Review		Cert. of Compl.	2

Sub-total of points selected:

5. Heating, Ventilation and Air Conditioning (HVAC)		Tier 2	Verification		Select
5.1 Provide an <u>energy or heat recovery (ERV or HRV) ventilator</u> that operates automatically or continuously.	<input type="checkbox"/>	Plan Review		Cert. of Compl.	4
5.2 Provide a <u>whole-house ventilative cooling system</u> to cool indoors with outside night air during temperate seasons (spring, early summer, autumn).	<input type="checkbox"/>	Plan Review		Cert. of Compl.	3
5.3 Provide <u>air filter</u> with the following minimum <u>MERV rating</u> or <u>electronic air filter system</u> for each HVAC return. Verify that the HVAC equipment and ductwork is able to accommodate the greater pressure drop on the return air side of the system. <u>MERV 13</u> – 1 pt. <u>Electronic air filter</u> – 2 pts.	<input type="checkbox"/>			Cert. of Compl.	—
5.4 Provide an independent <u>whole-house filtration system</u> with a minimum <u>MERV 12</u> rating or HEPA filter.	<input type="checkbox"/>			Cert. of Compl.	2
5.5 Fenestration openings shall be configured to allow for <u>stack and/or cross ventilation</u> for seasonal cooling. Cross ventilation paths shall not exceed 50 ft.	<input type="checkbox"/>	Plan Review			3
5.6 <u>Central vacuum system</u> shall be provided with outside exhaust.	<input type="checkbox"/>		City Insp.		1
5.7 <u>Radon Protection</u> . a) Test for radon on building site. Radon testing information is available on the US EPA Web site - www.epa.gov/radon/radontest.html b) Design and build with radon-resistant construction techniques as prescribed by US EPA.	<input type="checkbox"/>	Plan Review		Cert. of Compl.	1 3

Sub-total of points selected:

6. Lighting and Power		Tier 2	Verification		Select
------------------------------	--	--------	--------------	--	--------

6.1 At least <u>50% of habitable rooms shall be daylit</u> from at least two sides (windows, clerestories and skylights).		<input type="checkbox"/>	Plan review			3	
6.2 <u>Recessed ceiling lights</u> shall not penetrate the thermal (insulation) barrier.		<input type="checkbox"/>		City Insp.		2	
6.3 One or more of the following <u>energy management tools</u> shall be used to improve building energy performance: a) <u>Load controller/shedding system</u> designed to minimize the electrical load during peak demand periods by preventing the simultaneous operation of multiple appliances, lighting and/or equipment. b) <u>Energy monitoring system</u> (with sub-metering capability) designed to measure and calculate <u>real-time energy usage</u> and costs.		<input type="checkbox"/>	Plan Review		Cert. of Compl.	3 2	
6.4 Provide <u>electric vehicle supply equipment</u> (min. 240volt/40 amp) for not less than two vehicles.		<input type="checkbox"/>	Plan Review		Cert. of Compl.	4	
Sub-total of points selected:							
7. Plumbing System			Tier 2	Verification			Select
7.1 Provide a graywater drain line from at least <u>one plumbing fixtures</u> (shower, tub, lavatory faucet, washing machine, utility sink) to discharge in <u>landscape area</u> . The graywater drain line shall be provided with an accessible diverter valve for the option of diverting graywater to building sewer line when not in use. a) Provide graywater drain connection from <u>two or more plumbing fixtures</u> . b) Graywater <u>landscape irrigation</u> system in compliance with 2021 IRC Section P3009. a) Graywater <u>toilet fixture flushing</u> in compliance with 2021 IRC Section P2911.		<input type="checkbox"/>	Plan Review	City Insp.	Cert. of Compl.	3 3 4 6	
Sub-total of points selected:							
8. Roofing (90% threshold unless otherwise noted)			Tier 2	Verification			Select
8.1 A minimum of 50% of roof area shall have <u>recycled or recycled content roof material</u> (e.g. metal, rubber, or salvaged roof tiles). <u>Additional point</u> for 75% or more of roof area.		<input type="checkbox"/>	Plan Review		Cert. of Compl.	2 1	
8.2 Roof shall be a <u>high durability/low maintenance material</u> such as slate, clay, metal, or fiber-cement (not including concrete tiles unless vented). <u>Additional point</u> if roofing material is recyclable or reusable.		<input type="checkbox"/>	Plan Review	City Insp.		2 1	

8.3 Roof covering material <u>weighs less than 350 lbs/100 sq. ft.</u>		<input type="checkbox"/>	Plan Review			2
8.4 Roofing shall have a <u>bitumen underlayment</u> (min. 90 lb. underlayment) or equivalent pliable membrane under concrete, clay, or slate roofing materials.		<input type="checkbox"/>	Plan Review		Cert. of Compl.	2
8.5 Ventilated attics shall be provided with a <u>continuous ridge vent and vented eaves</u> with unrestricted air flow.		<input type="checkbox"/>	Plan Review	City Insp.		2
Sub-total of points selected:						
9. Exterior Finishes (90% threshold unless otherwise noted)		Tier 2	Verification			Select
9.1 <u>Exterior veneers</u> shall be derived from regional sources within 500 miles of jobsite. This includes stone or cultured stone veneers that are regionally quarried or processed.		<input type="checkbox"/>	Plan Review		Cert. of Compl.	2
9.2 <u>Siding</u> shall be composed of reconstituted or recycled-content material (minimum 50% pre-or post-consumer).		<input type="checkbox"/>	Plan Review		Cert. of Compl.	2
9.3 <u>Stucco</u> or siding material shall be integrally colored.		<input type="checkbox"/>	Plan Review		Cert. of Compl.	1
9.4 <u>Stucco</u> is applied directly to masonry without lath.		<input type="checkbox"/>	Plan Review	City Insp.		1
9.5 <u>Exterior structural materials</u> (e.g. CMU, stabilized adobe, rammed earth, steel) shall be left exposed and in their natural state without a veneer or finish other than a sealer.		<input type="checkbox"/>	Plan Review	City Insp.		2
9.6 <u>Fascia, soffit and trim elements</u> shall be (a) certified lumber (FSC/SFI), (b) made of recycled-content materials (including metal) or (c) engineered wood products such as finger jointed trim, fiberboard, laminated strand lumber or OSB.		<input type="checkbox"/>	Plan Review		Cert. of Compl.	1
Sub-total of points selected:						
10. Interior Finishes (90% threshold unless otherwise noted)		Tier 2	Verification			Select
10.1 <u>Wallboard and/or plasters</u> used in the home shall be made with min. 25% recycled content (e.g. - gypsum board made with industrial by-product gypsum or flue-gas waste product, wheat board made with agricultural by-products)		<input type="checkbox"/>			Cert. of Compl.	2
10.2 <u>Interior paints</u> shall contain no acetone, formaldehyde or ethylene glycol (EG).		<input type="checkbox"/>			Cert. of Compl.	1
10.3 <u>Natural plaster, paints and/or finishes</u> shall contain a minimum of 20% recycled content.		<input type="checkbox"/>			Cert. of Compl.	1

Sub-total of points selected:						
11. Interior Doors, Cabinetry, and Trim (90% threshold unless otherwise noted)			Tier 2	Verification		Select
11.1	<u>Solid wood doors</u> shall be domestic hardwoods or certified by the Forest Stewardship Council (FSC) or the Sustainable Forest Initiative (SFI).		<input type="checkbox"/>		Cert. of Compl.	2
11.2	<u>Composite doors</u> shall contain no added urea-formaldehyde resin.		<input type="checkbox"/>		Cert. of Compl.	1
11.3	<u>Cabinets, counter substrates and built-in furniture</u> shall contain no added urea-formaldehyde resins.		<input type="checkbox"/>		Cert. of Compl.	1
11.4	<u>Exposed substrate materials</u> containing formaldehyde, such as the inside of cabinets and the underside and edge of counters, shall be sealed with a water-based formaldehyde blocking finish.		<input type="checkbox"/>		Cert. of Compl.	1
11.5	<u>Cabinets, counter substrates and built-in furniture</u> shall be made of domestic hardwood from a <u>FSC</u> (Forest Stewardship Council) or <u>SFI</u> (Sustainable Forest Initiative) certified sustainable source and/or consist of a rapidly renewable material (a material that re-generates itself within a ten year period).		<input type="checkbox"/>		Cert. of Compl.	2
11.6	<u>Interior trim</u> shall be made of one or more of the following: (a) finger-jointed/engineered wood; (b) domestic hardwood; (c) FSC- or SFI- certified; (d) rapidly renewable material (bio-based materials that regenerate within 10 years); or (e) min. 20% recycled content with no added urea-formaldehyde resins.		<input type="checkbox"/>		Cert. of Compl.	1
11.7	<u>Countertops</u> shall be made of one or more of the following: (a) min. 20% recycled content material (b) concrete containing no added urea-formaldehyde (c) regionally quarried/processed stone or manufactured tile from within 500 miles of project site.		<input type="checkbox"/>		Cert. of Compl.	2
11.8	<u>No tropical woods</u> shall be used in the entire building project.		<input type="checkbox"/>		Cert. of Compl.	1
Sub-total of points selected:						
12. Flooring In order to receive points in this category, the total area of the selected finish floor material must be <u>at least 25%</u> of total conditioned floor area unless otherwise noted.			Tier 2	Verification		Select

12.1 <u>Carpeting and padding</u> shall be certified under the Carpet and Rug Institute's Green Label Plus program, UL Environment or Greenguard Environmental Institute's certification program.		<input type="checkbox"/>			Cert. of Compl.	2
12.2 <u>Resilient flooring</u> shall be certified under the Resilient Floor Covering Institute's FloorScore program, UL Environment or Greenguard Environmental Institute's certification program (e.g.- vinyl, vinyl composite, linoleum, rubber, cork).		<input type="checkbox"/>			Cert. of Compl.	2
12.3 <u>Flooring shall be salvaged</u> (e.g., reclaimed wood) or contain a minimum 20% recycled content (e.g., carpet, pad, tile, sound deadening substrate).		<input type="checkbox"/>			Cert. of Compl.	2
12.4 <u>Flooring shall be made from a rapidly renewable material</u> (bamboo, linoleum, cork, wool or other materials that are regenerated within <u>10-years</u>).		<input type="checkbox"/>			Cert. of Compl.	2
12.5 <u>Flooring shall be from a FSC</u> (Forest Stewardship Council) or <u>SFI</u> (Sustainable Forest Initiative) certified sustainable source.		<input type="checkbox"/>			Cert. of Compl.	2
12.6 <u>Stone or tile flooring</u> shall be quarried, processed and/or made within 500 miles of site.		<input type="checkbox"/>			Cert. of Compl.	2
12.7 <u>Sealed concrete</u> shall be used as finish floor surface.		<input type="checkbox"/>	Plan Review	City Insp.	Cert. of Compl.	2
12.8 <u>Carpeting</u> shall not be used on more than 25% of conditioned floor area.		<input type="checkbox"/>			Cert. of Compl.	1

Sub-total of points selected:

13. Solid Waste		Tier 2	Verification			Select
13.1 Divert not less than 50% of construction waste from landfill. Provide separate construction job site recycling bins for collection and reuse of construction waste materials including but not limited to cardboard, wood, drywall, foam, metal, concrete, masonry, tile, and/or asphalt. <u>2 pts. for each additional 25% waste diversion to be recycled or salvaged by builder or waste hauler</u>		<input type="checkbox"/>	Plan Review		Cert. of Compl.	4 _____
13.2 <u>Excess construction or deconstruction materials shall be donated to a non-profit building organization.</u>		<input type="checkbox"/>			Cert. of Compl.	2
13.3 A designated area shall be provided for occupant <u>city recycling and trash pick-up containers.</u>		<input type="checkbox"/>	Plan Review		Cert. of Compl.	1
13.4 A designated area shall be provided for <u>composting organic waste</u> for gardening soil nutrients.		<input type="checkbox"/>	Plan Review		Cert. of Compl.	2

Sub-total of points selected:						
14. House Size			Tier 2	Verification		Select
Calculate the number of <u>bonus or deductive points</u> based on house size.						
14.1 <u>Dwelling under 3000 sq. ft.</u> of total conditioned space. <u>1 Point</u> for every 100 sq. ft. under 3000 sq. ft.			<input type="checkbox"/>	Plan Review		
14.2 <u>Dwelling over 3500 sq. ft.</u> of total conditioned space. <u>Minus 1 Points</u> for every 250 sq. ft. over 3500 sq. ft.			<input type="checkbox"/>	Plan Review		
Sub-total of points selected:						
15. Innovative Design			Tier 2	Verification		Select
This section recognizes innovative and emerging technologies, practices, and products that fulfill the intentions of the program, but are not addressed in the checklist. Projects can earn up to <u>8 additional points</u> by submitting a written justification to plan review staff for review and determination of awarded points.						
15.1			<input type="checkbox"/>	Plan Review		Cert. of Compl.
15.2			<input type="checkbox"/>	Plan Review		Cert. of Compl.
15.3			<input type="checkbox"/>	Plan Review		Cert. of Compl.
15.4			<input type="checkbox"/>	Plan Review		Cert. of Compl.
Sub-total of points selected:						
TOTAL POINTS (As Submitted)						
TOTAL POINTS (As Approved)						